U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TERMINAL DISCLAIMER TO OBVIATE A DOUBLE PATENTING REJECTION OVER A "PRIOR" PATENT	Docket Number (Optional) UCF385
In re Application of: KEVIN D. BELFIELD	
Application No.: 10/821,755	
Filed: 04/09/2004	
For: Two-Photon Fluorescent Ternary Optical Data Storage	
The owner*, <u>University of Central Florida</u> except as provided below, the terminal part of the statutory term of any patent tryamted on the instant application hereby disclaims, except as provided below, the terminal part of the statutory term of any patent tyramted on the instant application which would extend beyone the expiration date of the full statutory term prior patent to P. Z.0.1.708. st the term of said prior patent is defined in 35 U.S.C. 154 and 173, and as the term of said prior patent is defined and 155 U.S.C. 154 and 173, and as the term of said prior patent is presently shortened by any terminal disclaimer. The owner hereby agrees that any patent so granted on the instant application shall be enforceable only for and during such period that it and the prior patent are commonly owned. This agreement runs with any patent granted on the instant application and is binding upon the grantee, its successors or assigns.	
In making the above disclaimer, the owner does not disclaim the terminal part of the term of any patent granted on the instant application that would extend to the expiration date of the full stantory term as defined in 35 U.S.C. 154 and 173 of the prior patent, "as the term of said prior patent is presently shortered by any terminal disclaimer," in the event that said prior patent biter: expires for failure to pay a maintenance fee, as the prior patent biter: expires for failure to pay a maintenance fee, as found in the prior patent part of the prior patent biter: expires for failure to pay a maintenance fee, as found in the prior patent biter; as found in the prior patent part of the prior patent biter; as found in the prior patent part of the prior patent biter. It is the patent biter patent biter. It is the prior patent biter. It is the patent biter. It is the prior patent biter. It is the patent biter patent biter. It is the patent bit	
Check either box 1 or 2 below. If appropriate. 1. Some of the undersigned is depropriate, and the undersigned is empowered to ad on behalf of the business/organization.	
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willfulf alse statements and the like so made are purishable by fine or imprisonment, or both, under Section 1001 of Tille 18 of the United States Code and that such willful false statements may looperdize the validity of the application or any patent issued thereon.	
2. The undersigned is an attorney or agent of record. Reg. No. 36,423	
Signature	/0/8/08 Date
Brian S. Steinberger Typed or printed name	
Typed of printed name	
	321-633-5080 Telephone Number
✓ Terminal disclaimer fee under 37 CFR 1.20(d) included.	
WARNING: Information on this form may become public. Credit card Information should not be included on this form. Provide credit card Information and authorization on PTO-2038.	
*Statement under 37 CFR 3.73(b) is required if terminal disclaimer is signed by the assignee (owner). Form PTO/SB/96 may be used for making this certification. See MPEP § 324.	

This collection of Information is required by 37 CFR 1.321. The Information is required to obtain or retain a benefit by the public within 1 in 16 (and fur yet to 157°C) to proceeds) an application. Confidentiatily is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to the 22 instances to complete, including galactering repeating, and complete in 150°C and the complete in 150°C and the complete in 150°C and collection is estimated to 150°C and 150°C